CONTENTS

Volume 25, Issue Nos 1–15

International Journal of ENERGY RESEARCH

VOLUME 25, ISSUE No. 1 January 2001

Effect of riser exit geometry on bed hydrodynamics and heat transfer in a circulating fluidized bed riser column: B. V. Reddy and P. K. Nag 1

Transport of cold thermal energy with a slurry as secondary biphasic refrigerant: L. Royon, P. Perrot and G. Guiffant 9

The effect of pressure in industrial propane–oxygen flames: H. H. Liakos, M. A. Founti and N. C. Markatos 17

Combined heat and power plant effects on CO_2 emission: Case study of the University of Perugia: G. Bidini and F. Di Maria 29

Performance trends and heat transfer considerations in an ammonia–water resorption cycle: B. Mongey, N. J. Hewitt, J. T. McMullan, P. C. Henderson and G. A. Molyneaux 41

Central electric thermal storage (ETS) feasibility for residential applications: Part 1. Numerical and experimental study: B. Y. Bedouani, A. Moreau, M. Parent and B. Labrecque 53

Central electric thermal storage (ETS) feasibility for residential applications: Part 2. Techno-economic study: B. Y. Bedouani, B. Labrecque, M. Parent and A. Legault 73

Energy relations of gas estimated from flare radiation in Nigeria: P. N. Ede and G. A. Johnson 85

VOLUME 25, ISSUE No. 2 February 2001

Energy and environmental analysis of an entire coke production plant using ECLIPSE: A. Magrinho, V. Semião and M. G. Carvalho 93

Photocatalytic reduction of carbonates and formation of some energy rich systems in the presence of Toluidine Blue: S. Jain, J. Vardia, A. Sharma and S. C. Ameta 107

CFD modelling and experimental investigation of an ejector refrigeration system using methanol as the working fluid: S. B. Riffat and S. A. Omer 115

Application of a chemical heat pump to a cogeneration system: Y. Kato and Y. Yoshizawa 129

Decentralized wind energy systems providing small electrical loads in remote areas: G. Notton, M. Muselli, P. Poggi and A. Louche 141

Kinetics of N_2O formation/destruction from coal combustion at low temperatures: S. S. Verma, T. Niwa and K. Okazaki 165

VOLUME 25, ISSUE No. 3 10 March 2001

Effects of ambient pressure on flame structure of $CO/H_2/N_2$ counterflow diffusion flame: J. Park, K. Lee and E. Lee 187

Photogalvanic effect in aqueous Methylene Blue nickel mesh systems: Conversion of light into electricity: I. S. Bayer, I. Eroğlu and L.Türker 207

Ranking factors of an investment in cogeneration: Sensitivity analysis ranking the technical and economical factors: G. Sundberg 223

Experimental study on stable steam condensation in a quenching tank: H. Y. Kim, Y. Y. Bae, C. H. Song, J. K. Park and S. M. Choi 239

Wind energy utilization in a house in Izmir, Turkey: A. Özdamar, H. Yildiz and Ö. Şar 253

Measurement and predictions for the flow distribution of a complex duct system with loop for energy saving: S.-C. Lee, J.-H. Lee and M.-D. Oh 263

Performance analysis of a CO_2 recycling system which utilizes solar energy: Y. Sakamoto, W. Zhou and T. Kawabe 275

VOLUME 25, ISSUE No. 4 25 March 2001

Replacing R22 with a hydrocarbon or hydrofluorocarbon?: P. C. Henderson, B. Mongey, N. J. Hewitt and J. T. McMullan 281

Demand side management for water heating installations in South African commercial buildings: P. G. Rousseau, J. P. Strauss and G. P. Greyvenstein 291

Comparison of performance of heat regenerators: Relation between heat transfer efficiency and pressure drop: F. Duprat and G. Lopez Lopez 319

A study on latent heat storage exchangers with the high-temperature phase-change material: Q. He and W. Zhang 331

Numerical study on effect of CO_2 addition in flame structure and NO_x formation of CH_4-air counterflow diffusion flames: C. E. Lee, S. R. Lee, J. W. Han and J. Park 343

Assessment of energy efficiency measures: The case of the Lebanese energy sector: R. Chedid, N. Ghaddar, F. Chaaban, S. Chehab and T. Mattar 355

VOLUME 25, ISSUE No. 5 April 2001

In-situ calibration of boiler instrumentation using analytic redundancy: G. Wei, M. Liu and D. E. Claridge 375

Photovoltaic-powered cold store and its performance: J. Nagaraju, K. Vikash and M. V. Krishna Murthy 389

Experimental investigation of an ejector refrigerator: Effect of mixing chamber geometry on system performance: S. Aphornratana, S. Chungpaibulpatana and P. Srikhirin 397

Thermodynamic and thermoeconomic analyses of an irreversible combined Carnot heat engine system: J. Chen 413

Effect of coal type on gasification in pressurized drop tube furnace: H. C. Cho, K. W. Cho, Y. K. Lee H. D. Shin and D. H. Ahn 427

Experimental study on charging processes of a cylindrical heat storage capsule employing multiple-phase-change materials: J. Wang, Y. Ouyang and G. Chen 439

Wind energy–hydrogen storage hybrid power generation: W.-J. Yang and O. Aydin 449

SHORT COMMUNICATION

Thermal cycle test of urea for latent heat storage applications: A. Sharma, S. D. Sharma, D. Buddhi and R. L. Sawhney 465

VOLUME 25, ISSUE No. 6 May 2001

Effects of CO_2 addition on flame structure in counterflow diffusion flame of $H_2/CO_2/N_2$ fuel: J. Park, K. Lee and E. Lee 469

Modelling of the fluid dynamic processes in a high-recirculation airlift reactor: D. A. Sanders, H. Cawte and A. D. Hudson 487

Analysis of a small horizontal axis wind turbine performance: A. Z. Sahin, A. Z. Al-Garni and A. Al-Farayedhi 501

The extraction of power from a hot stream: A. Bejan and A. Alebrahim 507

Entropy analysis of unsteady flow on flat plate: M. O. Budair 519

Investigation into some aspects of fluid flow and thermal analysis in annuli: M. O. Budair 525

Numerical and experimental study of dryer in forced convection: S. Youcef-Ali, N. Moummi, J. Y. Desmons, A. Abene, H. Messaoudi and M. Le Ray 537

Flame propagation in a tent camp: A. A. Al-Farayedhi 555

VOLUME 24, ISSUE No. 7 10 June 2001

Enhancement of heat transfer from a flat surface in a channel flow by attachment of rectangular blocks: O. N. Şara, T. Pekdemir, S. Yapıcı and M. Yılmaz 563

Thermal performance of a packed bed reactor for a high-temperature chemical heat pump: Y. Kato, T. O-shima and Y. Yoshizawa 577

Neural networks—a new approach to model vapour-compression heat pumps: H. Bechtler, M. W. Browne, P. K. Bansal and V. Kecman 591

Development of a novel mop fan: S. B. Riffat and H. A. Shehata 601

Theoretical study of a molten carbonate fuel cell stack for pressurized operation: J.-H. Koh and B. S. Kang 621

A comparison of CFD-simulations and measurements of the temperature stratification in a mixing box of an air-handling unit: P. Carling and Y. Zou 643

CALL FOR PAPERS 655

VOLUME 25, ISSUE No. 8 25 June 2001

Thermal efficiency improvement of an LPG gas cooker by a swirling central flame: S. Jugjai, S. Tia and W. Trewetasksorn 657

Heating and cooling energy recovery for an HVAC system: Economic analysis for the Italian climate: A. Palombo 675
Simulation of periodic heat transfer between ground and underground structures: M. S. Sodha 689
Carbon monoxide poisoning of proton exchange membrane fuel cells: J. J. Baschuk and X. Li 695
Determination of pistachio drying behaviour and conditions in a solar drying system: A. Midilli 715
Thermodynamic analysis of reheat cycle steam power plants: I. Dincer and H. Al-Muslim 727
Effect of refrigerant charge on the performance of air conditioning systems: D. Y. Goswami, G. Ek, M. Leung, C. K. Jotshi, S. A. Sherif and F. Colacino 741

VOLUME 25, ISSUE No. 9 July 2001

Maximum exergy input rate from a hot stream in solar-driven refrigerators: J. V. C. Vargas, J. S. Fleming and J. A. R. Parise 751
Geothermal energy utilization in Turkey: G. G. Gunerhan, G. Kocar and A. Hepbasli 769
Impact of energy efficiency upgrade retrofits on the residential energy consumption in Canada: B. Guler, A. S. Fung, M. Aydinalp and V. I. Ugursal 785
On blends R32/R134a and R32/R125: Thermodynamic and heat transfer aspects: A. Stegou-Sagia ... 793
Optimization of multistage vapour compression systems using genetic algorithms. Part 1: Vapour compression system model: A. C. West and S. A. Sherif 803
Optimization of multistage vapour compression systems using genetic algorithms. Part 2: Application of genetic algorithm and results: A. C. West and S. A. Sherif 813
Study on strengthening combustion and NO_x formation properties of rough-surfaced bluff-bodies: X. Ma, W. Lu, X. Zhang and Z. Yang 825

VOLUME 24, ISSUE No. 10 August 2001

Modelling of an ethanol–water distillation column with vapour recompression: S. B. M. Oliveira, R. P. Marques and J. A. R. Parise 845
On the steady-state modelling of a two-stage evaporator system: M. N. A. Hawlader, S. K. Chou, K. J. Chua, J. C. Ho and A. S. Mujumdar 859
Theoretical performance analysis of the multi-stage gas–solid fluidized bed air preheater: S. I. Park .. 881
A water heater using very high-temperature storage and variable thermal contact resistance: C. K. Jotshi, D. Y. Goswami, J. F. Klausner and S. Malakar 891
A performance comparison between an air-source and a ground-source reversible heat pump: C. A. De Swardt and J. P. Meyer 899
The design and experimental verification of heat exchanger accumulators used in small commercially available air conditioning systems: J. P. Meyer and C. W. Wood 911
Investment planning for electricity generation expansion in a hydro dominated environment: F. Kenfack, A. Guinet and J. M. Ngundam 927

VOLUME 25, ISSUE No. 11 September 2001

Oil price fluctuations and their impact on the macroeconomic variables of Kuwait: a case study using a VAR model: M. N. Eltony and M. Al-Awadi 939

Second law analysis of hydrogen liquefiers operating on the modified Collins cycle: M. T. Syed, S. A. Sherif, T. N. Veziroglu and J. W. Sheffield 961

An analytical and experimental analysis of a very fast thermal transient: C. Aprea and C. Renno 979

Optimal use of solar collectors for residential buildings: S-I. Gustafsson 993

Condensation performance in horizontal tubes with second-law consideration: W. W. Lin, D. J. Lee and X. F. Peng 1005

Thermodynamic analysis of a lithium bromide/water absorption system for cooling and heating applications: S.-F. Lee and S. A. Sherif 1019

VOLUME 25, ISSUE No. 12 10 October 2001

On the relationship between electrical energy consumption and climate factors in Lebanon: co-integration and error-correction models: E. A. Badr and G. E. Nasr 1033

The effects of solid absorbents on the emission of trace elements, SO_2, and NO_x during coal combustion: J. F. Cheng, H. C. Zeng, Z. H. Zhang and M. H. Xu 1043

Gasification of char particles in packed beds: analysis and results: S. Dasappa and P. J. Paul 1053

Effect of ventilation strategies on air contaminant concentrations and energy consumption in buildings: I. M. Budaiwi and M. S. Al-Homoud 1073

Enhancement of turbulent jet diffusion flame blowout limits by annular counterflow: S. M. S. Chan, S. Torii and T. Yano 1091

A hybrid power generation system: solar-driven Rankine engine–hydrogen storage: W.-J. Yang, C.-H. Kuo and O. Aydin 1107

VOLUME 25, ISSUE No. 13 25 October 2001

Thermodynamic optimization of heat-transfer equipment configuration in an environmental control system: A. Alebrahim and A. Bejan 1127

Reactor performance with primary/secondary swirl intensity and direction in coal gasification process: H. C. Cho and Y. K. Lee 1151

The roles of science and technology in energy and environment research and development: I. Dincer and M. A. Rosen 1165

Eigenvalue analysis of temperature distribution in composite walls: G. Oturanç and A. Z. Sahin 1189

Steady and transient numerical analysis of the performance of annular fins: M. A. Antar 1197

Humidity control by heat reclaim: L. Schibuola 1207

VOLUME 22, ISSUE No. 14 November 2001

Free convection to power-law fluids from a vertical cone of variable surface temperature: M. C. Ece 1221

Experimental analysis of capillary tubes behaviour with some HCFC-22 alternative refrigerants: S. M. Sami and H. Maltais 1233

Prediction of capillary tubes with alternative refrigerants to CFC-502: S. M. Sami, D. E. Desjardins and H. Maltais 1249

Effect of pressure and temperature on cluster and particle heat transfer in a pressurized circulating fluidized bed: B. V. Reddy and P. Basu 1263

A spherical cell model for multi-component droplet combustion in a dilute spray: A. Mukhopadhyay and D. Sanyal 1275

A parametric study of burning multicomponent droplets in a dilute spray: A. Mukhopadhyay and D. Sanyal 1295

VOLUME 25, ISSUE No. 15 December 2001

Improving the energy efficiency of conventional tumbler clothes drying systems: P. K. Bansal, J. E. Braun and E. A. Groll 1315

Analysis of heat transfer characteristics of an unsaturated soil bed: a simplified numerical method: G. B. Reddy 1333

Performance analysis of a variable structure controller for power regulation of WECS operating in the stall region: H. De Battista, R. J. Mantz and C. F. Christiansen 1345

A new concept for an osmotic energy converter: A. Seppälä, M. J. Lampinen and W. Kotiaho 1359

A study of the automotive diesel quality in the Athens area: S. Kalligeros, F. Zannikos, S. Stournas, E. Lois and G. Anastopoulos 1381

SHORT COMMUNICATION

Simulation of dynamic heat transfer between ground and underground structures: M. S. Sodha 1391

AUTHOR INDEX 1395

KEYWORD INDEX 1397

WILEY InterScience® This journal is online
www.interscience.wiley.com